

XCN-1050™



Tackle farming applications for every season and across all your equipment brands with the new XCN-1050 display system with NAV-900. The XCN-1050 display is a sleek, easy-to-use display featuring a quad-core processor and the Precision-IQ™ field application software.

Display Features

- 10" high-definition color touchscreen display
- Bluetooth® and WiFi capable
- Includes Precision-IQ™ field application software
- Front-facing 1.0 MP camera
- Built-in VRS Daemon – connect to VRS networks via cell phone or other internet capable device

Guidance and Mapping

- Autopilot™, Autopilot™ Motor Drive, and manual guidance
- NextSwath™ end-of-row turn technology*

Application Control

- Field-IQ™ Basic
 - Single liquid product control
 - Up to 24 individually controlled sections
- ISOBUS
 - Universal Terminal (UT)
 - Task Controller (TC) with multi-product control of up to 2 products
 - Section Controller (SC)
- Serial Rate and TUVR (Universal Variable-Rate)



NAV-900

- Integrates the GNSS receiver and Autopilot™ Guidance Controller in a single, roof-mounted enclosure
- Powerful GNSS receiver supports GPS, GLONASS, Galileo, and Beidou satellite systems
- Delivers faster RTX convergence times and more robust performance in areas where satellite visibility may be obstructed
- Features quick release mounting adapter for New Holland and other brands for easy installation and transfer between vehicles

GUIDANCE	UPGRADES
<p>Correction Sources and Accuracies</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p>PLM RTK™ Sub-inch accuracy</p> </div> <div style="text-align: center;"> <p>Centerpoint™ RTK Sub-inch accuracy</p> </div> <div style="text-align: center;"> <p>Centerpoint™ RTX <1.5 inch accuracy</p> </div> <div style="text-align: center;"> <p>RangePoint™ RTX 6 inch accuracy</p> </div> </div> <div style="text-align: center; margin-top: 10px;"> <p>SBAS (WAAS) 6-8 inch accuracy</p> </div>	<p>Additional Features and Accuracy Upgrades</p> <p>Features</p> <ul style="list-style-type: none"> • VRS Correction Client • Prescription Variable-Rate • ISOBUS Task Controller • Serial Rate and TUVR • ISOBUS Multi-Product Control • Autopilot™ (CAN install) • Autopilot™ (Autopilot Motor Drive install) • NextSwath* <p>Accuracy Level</p> <ul style="list-style-type: none"> • Basic to Medium • Medium to High • Basic to High

* Future release. Not available at launch.